

	Hits	Search Text	DBs
1	104	known-good	USPAT
2	1	known-good near2 configuration\$1	USPAT
3	1	known-good with restor\$3	USPAT
4	13	known-good with stor\$3	USPAT
5	14385	system adj configuration	USPAT
6	54	(system adj configuration) with restor\$3	USPAT
7	1451	non-interact\$4	USPAT
8	10	non-interact\$49 near3 input	USPAT
9	21	((system adj configuration) with restor\$3) with user	USPAT
10	33	((system adj configuration) with restor\$3) not (((system adj configuration) with restor\$3) with user)	USPAT
11	716	reset\$4 with reload\$3	USPAT
12	4865	reset\$4 with restor\$3	USPAT
13	366	(reset\$4 adj3 (button switch)) with restor\$3	USPAT
14	0	(reset\$4 adj3 (button switch)) with (restor\$3 near2 good)	USPAT
15	30	((reset\$4 adj3 (button switch)) with restor\$3) and g06f\$.ipc.	USPAT
16	1130	paper adj2 clip	USPAT
17	0	(paper adj2 clip) with restor\$3	USPAT
18	1	(paper adj2 clip) same default	USPAT
19	285	restor\$3 near5 default	USPAT
20	15	"4".clm.	USPAT
21	2	(restore adj switch) with configuration\$1	USPAT
22	1	(restore adj switch) with parameter\$1	USPAT
23	95	restore adj switch	USPAT
24	2	(paper adj2 clip) same restor\$3	USPAT
25	61	(paper adj2 clip) and restor\$3	USPAT
26	6387	restor\$3 with (setting\$1 parameter\$1 configuration\$1 default)	USPAT
27	1	(paper adj2 clip) and (restor\$3 with (setting\$1 parameter\$1 configuration\$1 default))	USPAT
28	3766	restor\$3 near5 (setting\$1 parameter\$1 configuration\$1 default)	USPAT
29	3659	restor\$3 near5 (setting\$1 parameter\$1 configuration default)	USPAT
30	72	(restor\$3 near5 (setting\$1 parameter\$1 configuration default)) with (key pen pencil stylus sharp)	USPAT
31	3568	known-good "known good"	USPAT

32	29	(known-good "known good") near5 configuration\$2	USPAT
----	----	---	-------

	Hits	Search Text	DBs
33	649	backup near5 configuration\$2	USPAT
34	31	(backup near5 configuration\$2) with restor\$3	USPAT
35	171	without adj reboot\$3	USPAT
36	10	(without adj reboot\$3) same restor\$5	USPAT
37	2	(known-good "known good") near5 configuration\$2	EPO; JPO
38	3	known-good near2 configuration\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
39	35	"known good" near2 configuration\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
40	2096	((back\$3 adj up) backup) near3 only	USPAT
41	43	((((back\$3 adj up) backup) near3 only) with (essential needed)	USPAT
42	17	((((back\$3 adj up) backup) near3 only) with important	USPAT
43	3	((((back\$3 adj up) backup) near3 only) with (essential needed)	EPO; JPO
44	335	((((back\$3 adj up) backup) near3 only) with data	USPAT
45	4	((((back\$3 adj up) backup) near3 only) with (data near3 needed)	USPAT
46	2	((((back\$3 adj up) backup) near3 only) with data with quick	USPAT
47	270	((back\$3 adj up) backup) near3 only	JPO
48	1	((((back\$3 adj up) backup) near3 only) same configuration\$1	JPO
49	63	((back\$3 adj up) backup) near3 only with data	JPO
50	28	((back\$3 adj up) backup) near3 only near3 necessary	USPAT
51	58	"microsoft windows".clm.	USPAT
52	3	lastknowngood	USPAT
53	1	lastknowngood with stor\$3	USPAT
54	16	("4070704" "4403303" "4491914" "4589063" "4974151" "5014193" "5134580" "5237689" "5237690" "5247659" "5247682" "5257368" "5261104" "5327553" "5412798" "5459867").PN.	USPAT
55	38	"5237689".URPN.	USPAT

56	70	Configuration near5 restor\$3 with automatic\$4	USPAT
----	----	---	-------

	Hits	Search Text	DBs
57	1	"5469573".PN.	USPAT
58	2	invocat\$3 with (combination near5 key\$1)	USPAT
59	53	invocat\$3 with restor\$3	USPAT
60	2	(invocat\$3 with restor\$3) same (boot\$3 or reboot\$3)	USPAT
61	1	reg adj dat	USPAT
62	3	regdat	USPAT
63	0	invoc\$3 with (combination near5 key\$1)	USPAT
64	0	invoc\$4 with (combination near5 key\$1)	USPAT
65	115	invo\$4 with (combination near5 key\$1)	USPAT
66	0	invok\$4 with (combination near5 key\$1) with restor\$3	USPAT
67	63	invok\$4 with (combination near5 key\$1)	USPAT
68	20	(without adj reboot\$3) same restor\$5	USPAT; EPO; JPO; DERWENT; IBM_TDB
69	50	(without adj reboot\$3) same configuration\$1	USPAT; EPO; JPO; DERWENT; IBM_TDB
70	1	(without adj reboot\$3) same (configuration\$1 near5 restor\$3)	USPAT; EPO; JPO; DERWENT; IBM_TDB
71	16	(without adj reboot\$3) with reconfiguration\$1	USPAT; EPO; JPO; DERWENT; IBM_TDB